

# General Certificate of Conformity

## Product Identification

**SKU:** 19512  
**SKU Description:** DR SEUSS ERASER ASSORTMENT 48/CS  
**Date of Manufacture:** 04/01/2013

## Citation Safety Ratings

Lead Paint - 16 CFR § 1303; CPSIA § 101(f) Test date: 02/20/2013  
Lead Substrate - 16 CFR § 1303 CPSIA § 101(a)(2) Test date: 02/20/2013  
Phthalate - CPSIA § 108 (a) Test date: 02/20/2013

\*\* This product complies with the citations indicated above \*\*

## Identification of Manufacturer

**Manufacturer:** RAYMOND GEDDES CO., INC  
7110 BELAIR, RD, SUITE 200  
BALTIMORE, MD, 21206

**Phone:** 443-219-4900  
**Manufacturer Location:** CHINA  
**Holder of Certificate:** Raymond Geddes & Co., Inc.  
**Contact:** Destiny Dowdy  
**Email:** productsafety@raymondgeddes.com  
**Phone:** 443-219-4907

## Testing Lab Information

**3rd Party Testing Company:** EUROFINS TESTING SERVICE  
NO 395 WEST JIANGCHANG ROAD  
ZHABEI DISTRICT  
SHANGHAI, SH 200436 CHN

**Contact:** TERRIC JI  
**Phone:** 86 -021-61819181  
**Fax:** 86 -021-61819180