

General Certificate of Conformity

Product Identification

SKU: 68252
SKU Description: DR SEUSS BEVELED ERASER 48/BX
Date of Manufacture: 05/01/2021

Citation Safety Ratings

Lead Paint - 16 CFR § 1303; CPSIA § 101(f) Test date: 05/17/2021
Lead Substrate - 16 CFR § 1303 CPSIA § 101(a)(2) Test date: 05/17/2021
Phthalate - CPSIA § 108 (a) Test date: 05/17/2021

** This product complies with the citations indicated above **

Identification of Manufacturer

Manufacturer: RAYMOND GEDDES CO., INC
7110 BELAIR, RD, SUITE 200
BALTIMORE, MD, 21206

Phone: 443-219-4900
Manufacturer Location: Wenzhou, Zhejiang, China
Holder of Certificate: Raymond Geddes & Co., Inc.
Contact: Destiny Dowdy
Email: productsafety@raymondgeddes.com
Phone: 443-219-4907

Testing Lab Information

3rd Party Testing Company: GREATESTING SERVICE SHANGHAI
2899 LIANHUA SOUTH ROAD, MINHANG DISTRIC
ROOM 1001, BUILDING 1
SHANGHAI, SH 200052 CHN

Contact: CHRIS ZHANG
Phone: 0086-021-64788791
Email: CHRIS.ZHANG@GREATESTING.COM