

# General Certificate of Conformity

## Product Identification

**SKU:** 68252  
**SKU Description:** DR. SEUSS BEVELED ERASER 48/BX  
**Date of Manufacture:** 07/01/2020

## Citation Safety Ratings

Lead Paint - 16 CFR § 1303; CPSIA § 101(f) Test date: 03/27/2020  
Lead Substrate - 16 CFR § 1303 CPSIA § 101(a)(2) Test date: 03/27/2020  
\*\* This product complies with the citations indicated above \*\*

## Identification of Manufacturer

**Manufacturer:** RAYMOND GEDDES CO., INC  
7110 BELAIR, RD, SUITE 200  
BALTIMORE, MD, 21206  
**Phone:** 443-219-4900  
**Manufacturer Location:** Wenzhou, Zhejiang, China  
**Holder of Certificate:** Raymond Geddes & Co., Inc.  
**Contact:** Destiny Dowdy  
**Email:** productsafety@raymondgeddes.com  
**Phone:** 443-219-4907

## Testing Lab Information

**3rd Party Testing Company:** GREATESTING SERVICE SHANGHAI  
2899 LIANHUA SOUTH ROAD, MINHANG DISTRIC  
ROOM 1001, BUILDING 1  
SHANGHAI, SH 200052 CHN  
**Contact:** CHRIS ZHANG  
**Phone:** 0086-021-64788791  
**Email:** CHRIS.ZHANG@GREATESTING.COM