

# General Certificate of Conformity

## Product Identification

**SKU:** 68252  
**SKU Description:** DR. SEUSS BEVELED ERASER 48/BX  
**Date of Manufacture:** 09/30/2016

## Citation Safety Ratings

Lead Paint - 16 CFR § 1303; CPSIA § 101(f)	Test date: 09/26/2016
Lead Substrate - 16 CFR § 1303 CPSIA § 101(a)(2)	Test date: 09/26/2016
Phthalate - CPSIA § 108 (a)	Test date: 09/26/2016

\*\* This product complies with the citations indicated above \*\*

## Identification of Manufacturer

**Manufacturer:** RAYMOND GEDDES CO., INC  
7110 BELAIR, RD, SUITE 200  
BALTIMORE, MD, 21206

**Phone:** 443-219-4900  
**Manufacturer Location:** Wenzhou, Zhejiang, China  
**Holder of Certificate:** Raymond Geddes & Co., Inc.  
**Contact:** Destiny Dowdy  
**Email:** productsafety@raymondgeddes.com  
**Phone:** 443-219-4907

## Testing Lab Information

**3rd Party Testing Company:** STC LABS  
NO 130 HUASHEN ROAD  
WAIGAOQIAO FREE TRADE ZONE  
SHANGHAI, SH 200131 CHN

**Contact:** BILL LIJIE  
**Phone:** 86 -21 -52198248  
**Fax:** 86 -21 -52198249