

General Certificate of Conformity

Product Identification

SKU: 68977
SKU Description: DR. SEUSS SCENTED KNEADED ERASER 36/DS
Date of Manufacture: 04/20/2019

Citation Safety Ratings

Lead Paint - 16 CFR § 1303; CPSIA § 101(f)	Test date: 05/14/2019
Lead Substrate - 16 CFR § 1303 CPSIA § 101(a)(2)	Test date: 05/14/2019
Phthalate - CPSIA § 108 (a)	Test date: 05/14/2019

** This product complies with the citations indicated above **

Identification of Manufacturer

Manufacturer: RAYMOND GEDDES CO., INC
7110 BELAIR, RD, SUITE 200
BALTIMORE, MD, 21206

Phone: 443-219-4900
Manufacturer Location: Wenzhou, Zhejiang, China
Holder of Certificate: Raymond Geddes & Co., Inc.
Contact: Destiny Dowdy
Email: productsafety@raymondgeddes.com
Phone: 443-219-4907

Testing Lab Information

3rd Party Testing Company: LELANGTEK TESTING TECH
2ND FLOOR, NO1
LANE 158, JIFENG ROAD
SHANGHAI, SH 201201 CHN

Contact: HUO JUNJIE
Phone: 86-021-58380071