

# General Certificate of Conformity

## Product Identification

**SKU:** 69974  
**SKU Description:** DR SEUSS STUBBIES ERASER 48/TUB  
**Date of Manufacture:** 10/30/2015

## Citation Safety Ratings

Lead Paint - 16 CFR § 1303; CPSIA § 101(f) Test date: 10/22/2015  
Lead Substrate - 16 CFR § 1303 CPSIA § 101(a)(2) Test date: 10/22/2015  
\*\* This product complies with the citations indicated above \*\*

## Identification of Manufacturer

**Manufacturer:** RAYMOND GEDDES CO., INC  
7110 BELAIR, RD, SUITE 200  
BALTIMORE, MD, 21206

**Phone:** 443-219-4900  
**Manufacturer Location:** Wenzhou, Zhejiang, China  
**Holder of Certificate:** Raymond Geddes & Co., Inc.  
**Contact:** Destiny Dowdy  
**Email:** productsafety@raymondgeddes.com  
**Phone:** 443-219-4907

## Testing Lab Information

**3rd Party Testing Company:** STC LABS  
NO 130 HUASHEN ROAD  
WAIGAOQIAO FREE TRADE ZONE  
SHANGHAI, SH 200131 CHN

**Contact:** BILL LIJIE  
**Phone:** 86 -21 -52198248  
**Fax:** 86 -21 -52198249