

General Certificate of Conformity

Product Identification

SKU: 70258
SKU Description: DR SEUSS WHAT PET SHOULD I GET PENCIL 72/DSP
Date of Manufacture: 12/12/2017

Citation Safety Ratings

Lead Paint - 16 CFR § 1303; CPSIA § 101(f)	Test date: 03/16/2018
Lead Substrate - 16 CFR § 1303 CPSIA § 101(a)(2)	Test date: 03/16/2018
Phthalate - CPSIA § 108 (a)	Test date: 03/16/2018
ASTM F963 - 15 USC § 2058	Test date: 03/16/2018

** This product complies with the citations indicated above **

Identification of Manufacturer

Manufacturer: RAYMOND GEDDES CO., INC
7110 BELAIR, RD, SUITE 200
BALTIMORE, MD, 21206

Phone: 443-219-4900
Manufacturer Location: Subic, Philippines
Holder of Certificate: Raymond Geddes & Co., Inc.
Contact: Destiny Dowdy
Email: productsafety@raymondgeddes.com
Phone: 443-219-4907

Testing Lab Information

3rd Party Testing Company: ICAS TESTING AND CERTIFICATION GROUP
155 PINGBEI RD
MINHANG DISTRICT
SHANGHAI, CH 200030 CHN

Contact: STEVEN LI
Phone: 0086 21-51682918